

ELECTROCORDER

Acksen Ltd manufacture a range of data loggers for Electrical Power Utilities and Industry, there are 3 main categories of logger:-

Voltage Only
Current Only
Voltage and Current.

Acksen Ltd
42 University Road
Belfast BT7 1NJ
United Kingdom

Tel: +44 (0)870 225 1790
Fax: +44 (0)870 225 1791

sales@electrocorder.com

www.electrocorder.com

Range of Voltage and Current loggers.

Voltage Only


Single Phase; 0 - 300V

(Live/Hot to Neutral)

EC164/ANZ, EU, NA, UKI.

EC164/IP65 (IP65/nema 4X)

LS164/IP65 Interruption Logger




2 Channel; 0 - 300V

(Live/Hot to Neutral and Live to Earth/Ground)

EC264/EU

EC264/IP65 waterproof. (IP65/nema 4X)




Three Phase; 0 - 600V

(Phases L1, L2 & L3 to Neutral)

EC364-V (250 x 175 x 70 mm)

EC364-Vm - mini logger (145 x 89 x 45mm)

Both above are available as IP65/nema 4X




ELECTROCORDER

All current models
come complete with
Rogowski input coils!

Range of Voltage and Current loggers.


Current Only

Single Phase; 0 - 500A
EC164-1A (IP65/nema 4X)



Three Phase; 0 - 1kA, 0 - 2kA or 0 - 3kA.
(Phases A1, A2 & A3)

EC364-1K (1kA max input) (IP65/nema 4X)
EC364-2K (2kA max input) (IP65/nema 4X)
EC364-3K (3kA max input) (IP65/nema 4X)



Acksen Ltd
42 University Road
Belfast BT7 1NJ
United Kingdom

Tel: +44 (0)870 225 1790
Fax: +44 (0)870 225 1791

sales@electrocorder.com

www.electrocorder.com

Range of Voltage and Current loggers.

Loggers can be supplied customised to your needs, just ask your local distributor or contact us directly.


Voltage and Current (Watts & VARs)

One voltage & one current channel; 0 - 300V & 0 - 500A

EC264-VA (1 voltage & 1 current channel, 'VA')

EC264-VAR (1 voltage, 1 current & Power Factor, 'VAR')


(All above models are IP65/nema 4X)



Two voltage channels & one current channel; 0 - 600V & 0 - 500A.

EC364-2V-1A (two voltage & one 500A current channel)


(Above also available as IP65/nema 4X)



Three voltage & three current channels; 0 - 600V & 0 - 1kA, 2kA or 3kA.

EC664-VA (3 voltage & 3 current channels, 1kA, 2kA or 3kA.)

(Above also available as IP65/nema 4X)



Acksen Ltd
42 University Road
Belfast BT7 1NJ
United Kingdom

Tel: +44 (0)870 225 1790
Fax: +44 (0)870 225 1791

sales@electrocorder.com

www.electrocorder.com